		Applicant(s)	
Notice of Allowability	10/509,831	MUSKETT, MICHAEL JAMES	
	Examiner	Art Unit	
	Sikarl A. Witherspoon	1621	
The MAILING DATE of this communication app All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT IN of the Office or upon petition by the applicant. See 37 CFR 1.31	S (OR REMAINS) CLOSED in this apply or other appropriate communication RIGHTS. This application is subject to	plication. If not included will be mailed in due course. THIS	
1. \boxtimes This communication is responsive to <u>papers filed 15 April</u>	<u> 1 2005</u> .		
2. The allowed claim(s) is/are <u>31-59</u> .			
 3. Acknowledgment is made of a claim for foreign priority to a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 	ve been received.		
2. Certified copies of the priority documents have been received in Application No			
3. Copies of the certified copies of the priority documents have been received in this national stage application from the			
International Bureau (PCT Rule 17.2(a)).			
* Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.			
4. A SUBSTITUTE OATH OR DECLARATION must be subinformal patent application (PTO-152) which gives	mitted. Note the attached EXAMINER ves reason(s) why the oath or declara	'S AMENDMENT or NOTICE OF tion is deficient.	
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.			
(a) ☐ including changes required by the Notice of Draftspe	rson's Patent Drawing Review (PTO-	948) attached	
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date			
(b) ☐ including changes required by the attached Examine Paper No./Mail Date			
Identifying indicia such as the application number (see 37 CFR each sheet. Replacement sheet(s) should be labeled as such in	1.84(c)) should be written on the drawing the header according to 37 CFR 1.121(c)	ngs in the front (not the back) of d).	
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
	·		
	•		
	•	·	
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	5. Notice of Informal P	Patent Application	
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	<u>=</u>		
-	Paper No./Mail Dat	Paper No./Mail Date	
 Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date <u>9/30/04</u> 	7. 🛛 Examiner's Amendment/Comment		
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material		ent of Reasons for Allowance	
	9.	Sikail a. Witherpu	
		SIKARL A. WITHERSPOON PRIMARY EXAMINER	

Application/Control Number: 10/509,831

Art Unit: 1621

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with applicant's representative, Leonard Mitchard on November 29, 2006.

The application has been amended as follows:

In the specification, the heading "Brief Description of the Drawings" has been inserted at page 9, between lines 14 and 15.

In the claims: in claim 48, line 3, the number, one (1) has been inserted before the period.

Allowable Subject Matter

The following is an examiner's statement of reasons for allowance: the closest prior art of record, i.e., references listed on PTO-892 and PTO-1449 forms, teach the production of acetic acid by carbonylation of methanol or a derivative thereof, with carbon monoxide, in the presence of an iridium catalyst, ruthenium promoter, methyl iodide co-catalyst, methyl acetate, and water. The closest prior art, however, fails to teach or fairly suggest recycling a liquid fraction from the flash separation stage to the carbonylation reaction zone, wherein the concentration of carbon monoxide in the low-pressure off-gas is maintained according to the formula recited in the independent

Application/Control Number: 10/509,831

Art Unit: 1621

claim. There is no teaching or suggestion in the prior art to maintain the carbon monoxide concentration according to the formula recited, and in relation to the concentration of ruthenium in the liquid reaction composition.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Sikarl A. Witherspoon whose telephone number is 571-272-0649. The examiner can normally be reached on M-F 8:30-6:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Thurman Page can be reached on 571-272-0602. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Application/Control Number: 10/509,831

Art Unit: 1621

saw

Sikul A. Witherspor

SIKARL A. WITHERSPOON PRIMARY EXAMINER